

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of

Supplier's name or trade mark:

Supplier's address:

Model identifier: 23103003 (Led Deco 40 Expansion)

Type of light source:

Lighting technology used:	LED	Non-directional or directional:
Light source cap-type (or other electric interface)	-	
Mains or non-mains:	NMLS	Connected light source (CLS):
Colour-tuneable light source:	NO	Envelope:
High luminance light source:	NO	
Anti-glare shield:	NO	Dimmable:

Product parameters

Parameter	Value	Parameter
-----------	-------	-----------

General product parameters:

Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	0,004	Energy efficiency class
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	370lm	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set
On-mode power (P_{on}), expressed in W	4,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal

Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set
Outer dimensions without separate control gear, lighting control parts and non-lighting control parts, if any (millimetre)	Height Width Depth	9.9mm 13.6mm 400mm Spectral power distribution in the range 250 nm to 800 nm, at full-load
Claim of equivalent power ^(a)	YES	If yes, equivalent power (W)
		Chromaticity coordinates (x and y)

Parameters for LED and OLED light sources:

R9 colour rendering index value	11	Survival factor
the lumen maintenance factor	0,95	

^(a) -' : not applicable;

^(b) -' : not applicable;

light sources

NDLS

NO

NO

Value

F

3000K

0,00

85

380-1000nm

37

0.43 0.41

0,90