

$$\begin{aligned} & \times - \textcircled{R}^{1/2} \pm^2 - 1/4^3 \pm^2 \textcircled{U}^1 \rangle \sqrt[3]{\textcircled{U}^1} \cdot \textcircled{U}^1 \pm^2 \circ' \textcircled{U}^1 \langle \rangle \textcircled{U}^1 \langle \rangle \langle \rangle \\ & \textcircled{O} \pm^2 \textcircled{U}^1 \rangle \textcircled{U}^1 \rangle \textcircled{R}^1 \cdot \textcircled{U}^1 \textcircled{U}^2 \textcircled{C}^1 \rangle^{21} \textcircled{U}^1 \langle \rangle \langle \rangle \langle \rangle \textcircled{R}^{1/2} \textcircled{U}^1 \end{aligned}$$

Æ Ø ß Î ß

[illegible]

Ü»³/®·µ-¿¿²©·¶.²¹ óÞ»©¿®²ÿ





Y A3A3A3A3 Y / A3

Ì ØßÒÕÇÑĚ ÚŇÎ ĐĚÎ ÝØßÍ XÒÙÌ ØÛÆßØßÎ ß ÚŤ ÛÞÑÉ Ô;

THE FIRE BOWL IS MADE OF BLACK (CARBONISED) STEEL, WHICH CAN DEVELOP A NATURAL PATINA WHEN EXPOSED TO THE

İ òĐÎ ÑÜËÝÌ ÜÛÍ ÝÌ ✕Đ ✕ÑÒ

The fire bowl is made of black (carbon-rich) steel, which may develop a natural patina over time.

ⲁⲟⲕⲉⲛⲓ ⲓⲃⲟⲓ ⲓⲃⲱⲓ ⲙⲟⲓ ⲁⲓⲥⲓⲛⲓ ⲛⲟⲓ

Please read these instructions carefully before using the fire bowl. Failure to follow

É ß Î Ò × Ò Ù ÿ

- ☐ Place the fire bowl on a solid, fireproof surface – do not place on wood, asphalt, or concrete.
- ☐ Minimum distance to flammable materials: at least 2 meters
- ☐ Use only dry, untreated firewood logs.
- ☐ Do not use gasoline, alcohol, or other flammable accelerants!

í òí Û ËÐΒÒÛËÍ Û

Place the fire bowl on a fireproof surface (e.g., paving stones, stone slabs,).

$$\hat{1} \hat{0} \hat{U}^2 - \langle \langle \hat{R} \rangle \rangle^a \rangle' - \rangle \rangle \langle \langle \hat{0} \hat{0} \pm \hat{R} \rangle \rangle^{3/4} \cdot \hat{S} \hat{0}$$

íòúë° ÿ½³ ÿ° »½±©++¼²¼²¼²¹² ¼ »½²¼¼°¼ »³¼©ò

↳ Light the fire carefully using a long match or lighter.

è Gradually add larger wood pieces once the fire is stable.

• Never leave the fire unattended!

é Allow the fire to cool down completely after use. Do not dispose of hot

$\hat{y} = \beta_0 + \beta_1 x$

- ☐ Allow the fire bowl to cool completely after use.
- ☒ To extend the product's lifespan, store the fire bowl protected from rain and
- ☐ Natural surface changes due to heat and moisture (e.g., flash rust, patina) are typical for untreated steel and do not affect functionality.

ëòÛ× ÐÑÍ ßÔ

Dispose of the fire bowl in accordance with applicable legal regulations. Conó

$$\ddot{U}^{\pm 2} \pm \gamma^{1/4} \circ \pm \gg \pm^{0.2}, \pm \ll - \gg, \pm^{1/4} \odot \pm \rightarrow \circ$$
$$\ddot{U} = \pm \frac{1}{2}$$
$$\begin{aligned} & \dot{E}_s^2 \dot{c}^2 \dot{c}^{\circ \circ} \dot{c}^2 \frac{1}{2} - 2 \pm \dot{c}^2 \frac{1}{2} \rangle \langle \mathbb{R} \langle -\frac{3}{4} \rangle \pm \mathbb{R} \langle \frac{1}{2} \pm \frac{3}{4} \rangle \mathbb{B}^{\circ} \dot{c} \mathbb{B}^1 \mathbb{B}^{-3} \langle -\frac{3}{4} \rangle \frac{1}{4} \dot{c} \\ & \circ \pm \rangle^1 \dot{c}^2 \rangle \langle \frac{1}{4} \mathbb{R} \langle \frac{1}{2} \rangle \mathbb{C}^{-1} \dot{c}^{\circ \circ} \langle \frac{1}{2} \frac{3}{4} \rangle \rangle^1 \langle \mathbb{B}^1 \langle \dot{c} \dot{c}^2 - \dot{c} \end{aligned}$$
[illegible]

Do not burn used devices or discard them in landfills.

$$\begin{aligned} & \dot{E}_{j-\tau} \rangle \rangle^{1/2} \otimes \dot{E}_{j-\tau} \rangle \rangle^{1/4} \rangle \rangle^{1/2} \otimes \langle \langle \cdot^{\circ 3} \rangle \rangle^2 \tau^3 \langle \langle -\tau^2 \pm \tau^3 \rangle \rangle^{1/4} \otimes \langle \langle \pm \rangle \rangle^{1/4} \otimes \langle \langle \tau \rangle \rangle^2 \dot{O} \\ & - \pm \otimes \langle \langle \pm \rangle \rangle^{1/4} \otimes \langle \langle - \rangle \rangle, \pm^{1/4} \otimes \dot{E}_{j-\tau} \rangle \rangle \end{aligned}$$
$$E \hat{U}^{\frac{1}{2}} \hat{E} ; - \rangle \hat{U} \rangle^{\frac{1}{2}}_{\langle R \rangle} ; \hat{U} \rangle^{\frac{1}{2}}_{\langle R \rangle} . \hat{U} \rangle^{\frac{1}{2}}_{\langle R \rangle} \langle \cdot^0 \rangle \rangle^2 \rightarrow$$
$$\begin{aligned} & \hat{1} \pm \hat{Q}^1 \rangle \pm^0 \hat{N}^{1/4} \hat{S}^{00} \cdot \hat{J}^{21/2} - \square \hat{Y}^{\pm 2} - \langle \hat{\kappa}^3 \rangle \hat{R}^{\pm 2} \hat{Q}^{\pm 2} \hat{J}^{\pm 2} \pm^2 \hat{U} \hat{E} \hat{J}^{\pm 2} \hat{U} \cdot^0 \pm \hat{J}^{\pm 2} \hat{\theta} \pm \hat{R} \\ & \hat{Q} \pm \langle - \rangle \pm^{1/4} \div \end{aligned}$$

The symbol affixed to the product or its documentation indicates that defecto

© 2000

[illegible]

$\mathbb{P}^{\mathbb{Q}} \times \mathbb{R}/\pi \pm i' \mathbb{C}^{-a} i' \langle i^3/4 \rangle \mathbb{B} \pm \langle \mathbb{R} \rangle \mp 3/4 \rangle \mathbb{B} \rangle \langle i^2/1/4 \pm i^4/4^2 \rangle^1 i^{-a}$
 $\cdot^3 \rangle i^1/4 \pm^2 \rangle i' i^2/4 \rangle^2 \cdot^2 \mathbb{A} \mathbb{E}^{23} \rangle^2 \neg i^{-3} \mathbb{S} \mathbb{B} \langle -' \mathbb{A} \mathbb{E}^3 \rangle^3 \cdot^0 \mathbb{E} \rangle \mathbb{B} \mathbb{C} i^{-\neg}$
 $1/4 \pm i' 0$

$\ddot{U} \sim \ddot{U} \cdot \rangle^{1/4 \pm 2} \oplus \otimes \ddot{U} \pm^2 \ddot{U} \pm^3 \langle \ddot{U} \pm^1 \ddot{U} \cdot \rangle^{1/4 \pm 2} \rangle^{1/2 \pm 2} \circ \pm^2 \sim \ddot{U} \pm^2 \ddot{U} \pm^3 \langle \ddot{U} \pm^1 \ddot{U} \cdot \rangle^{1/4 \pm 2} \rangle^{1/4 \pm 3} \ddot{U} \pm^1 \ddot{U} \cdot$
 $\ddot{U} \langle \ddot{U} \pm^1 \ddot{U} \rangle \otimes \ddot{U} \circ$


[illegible]
$$\ddot{U} \cdot i \cdot \dots \gg^3 \frac{3}{4} \mathcal{S} i^2 \frac{1}{4} \hat{A} \gg^1 \mathcal{S} \frac{1}{2} \frac{1}{2} \pm^0 \neg \gg \emptyset \gg i \cdot \neg \gg \textcircled{R}$$
[illegible]

The heater and its accessories must be properly dismantled, and different maó

$$\mathbb{D}_1^{1/4} \mathbb{P}_1^{1,2,1} \ll (-)^{1/4} \pm \mathbb{R} \mathbb{R}^2 - \circ \pm \mathbb{R} \mathbb{R}^2 - \pm \ll \mathbb{R}^{1/4} \mathbb{R}^3 \pm^a \gg \mathbb{R}^{1/4} \mathbb{R}^2 - \gg^2 - \mathbb{R}^2 \gg \mathbb{R}$$


ÉβÎ Ò×ÒÙÿ

$$\begin{aligned} & \bar{U} \cdot \bar{c} \rightarrow \bar{c}^3 \frac{3}{4} \bar{c}^2 \frac{1}{4} \bar{c}^1 \frac{1}{8} \bar{c}^0 \frac{1}{2^2} \pm^0 \bar{c}^3 \gg \gg \bar{c}^3 \ll \ll \bar{c}^3 \frac{1}{2} \bar{c}^1 \frac{1}{4} \pm \bar{c}^2 \bar{c}^1 \frac{1}{2} \bar{c}^0 \frac{1}{2} \\ & \bar{c}^1 \bar{c}^0 \bar{c}^1 \frac{1}{2^3} \bar{c}^1 \ll \bar{c}^1 \bar{c}^2 \bar{c}^0 \end{aligned}$$

Le démontage et le recyclage doivent être effectués conformément à la règle

3 » 7+2 » 2 a.1 « » « ®

[illegible]
$$\dot{U}_{\pm}'' \pm c \ll -\pm^2 \approx$$

✕ÒÍ Ì ßÙÎ ßÓ



ÚẒÝÛǾÑÑÕ



è

